



E22H

KWUNPHI —

The Advocator of High Standard Clean Quality

Dry Cleaning		
0~15°		
-20~80℃		
-20~50℃		
40mm		
40mm		
Wet Cleaning Angle		
62~74 km/h Fresh Gale		
IP 65		

Recommendation		
PV Panel Angle*		
PV Panel Surface Temp.		
Environment Temp.★		
PV Panel Gap		
PV Height Difference		
Rainfall		
Wind Power		
Protection Class		
Protection Class		

Wet Cleaning		
0~10°		
0~80℃		
0~50℃		
40mm		
20mm		
25~50 mm Light Rain		
29~38 km/h Fresh Breeze		
IP 65		

^{*} PV panel angle data ultimately depends on the characteristics of the contaminant. (☆ Shenzhen Kwunphi reserves the right to interpret the data)

Kwun E22H Technical Specification

	<u>'</u>		
_	Based on TianyunOS Operating System		
L	Based on Glass vSLAM Visual Navigation Technology		
Technology	Based on Goodzenn Path Planning	Technology	
	Based on Ai-KWUN Operating Platf	orm	
	Based on OTA-KWUN Operating Platform		
	Design Life:	6 years	
	Warranty(whichever comes first):	1 year or 2400 hours	
Life & Endurance	Battery Capacity:	15Ah	
	Working Time per Battery*:	4.5 hours	
	Charging Time: 3 hours		
	8 Hours Battery Life: Replace The Battery Every 4.5 hours		
	Dust (adhesion ≤10 ⁻⁶ N) :	≥99%	
Ability	Dust Accumulation (adhesion ≤10) ⁻⁴ N): ≥95%	
to Cleán	Dried Guano (adhesion ≤10 ⁻² N):	≥85%	
	Cleaning Efficiency:	≥450m²/h	
Shape	Body Size* (without brushes):	585*560*250mm	
	Body Weight* (without brushes):	19.75kg	
	Brush Length* (detachable):	936mm (D type)	
	Brush Weight*:	5.7kg & 4.9kg (D type)	
	Number of Rolling Brushes:	2 2	
	Maximum of Single Control:	24 sets	
	Roof RECO Maximum Number Ope		
	RECO Maximum Number Operate on Slopes: 4 sets		
	Software Upgrade:	OTA	
	Work at Night	Yes	
N.4 a.u.a.:	View Logs in Real Time:	Yes	
Mani-	UAV Retraction:	Yes	
pulation -	Unmanned on Approach Bridge:	Yes	
	APP Control Remotely:	Yes	
	Remote Control:	Yes	
		Yes	
-	Breakpoint Continuation:	Yes	
	Adjust the Brush Speed: Rated Brush Speed:	120r/min	
	•		
-		mous Work; Mobile APP	
_	Positioning Mode:	Al Semantic Vision	
	Positioning Accuracy: ≤10mm		
Socurity	Steering Mode: High Precision Adsorption Steering Mechanism		
Security		Intic Vision + Ultrasonic	
	Anti-skid:	cleaning + High Precision ion Correction Algorithm	
	Protection Class :	IP65	

^{*} Working time of the battery may vary due to different situation, loads, battery consumptions and other factors. * Weight and size of robots may vary slightly due to the change of suppliers.